



Lost Recovery Network, Inc.

**Active RFID Badge Specifications:
October 2005**

Main Office:

406 Dixon Street
Vidalia, GA 30474
Phone: 912.537.3901
Toll-Free: 877.693.1456
Fax: 912.538.7547
E-mail: info@lrni.com
Website: www.LRNI.com

RFID Badges

LRNI offers a hard plastic RFID Badge in standard size in both vertical and horizontal orientations with slot hole for attachment.

LRNI's RFID Identification Badge can be used for any application that an ID Badge is required. This small, thin standard size badge can be worn by hospital staff, group conventions, entertainment and public events, security, museums, and more.

The Active RFID Identification Badge, provides wireless communication for safe and accurate identification of user and processes. This RFID Badge insures the integrity of information between user, host device, and/or Information System because of the individual ID of each tag. Security is not an issue because user's information resides in the database not on the tag.

RFID Badge Characteristics:

- Use with Standard Size Identification Photo
- Durable
- Small and comfortable to wear
- Minimum/Maximum temperature:
 - 20 degrees C to 60 degrees C
 - 4 degrees F to 140 degrees F
- Dimensions: 3-3/8 inch X 2-1/8 inch X .270 inch
- Excellent dimensional stability and strength
- Slot for attachment
- LED optional
- Distress function optional





Warranty for Active RFID Badges:

LRNI warrants that the Products we sell will be free from defects in materials and workmanship. The limited warranty term is 90 days, as further described in the following text.

This warranty is limited to the repair and/or replacement, at LRNI's discretion, of defective or non-conforming Product, and LRNI shall not be responsible for the failure of the Product to perform specified functions, or any other non-conformance caused by or attributed to: (a) any misapplication or misuse of the Product; (b) failure of Customer to adhere to any of LRNI's specifications or instructions; and (c) neglect of, abuse of, or accident to the Product. Tampering voids warranty.